SIDEWALK INSPECTION CITY OF IOWA CITY - DEPARTMENT OF PUBLIC WORKS

PROPERTY OWNER ADDRESS:	DATE PASSED INSPECTION	N:
STREET NAME PROPERTY LINE (TYP) HO	DUSE ADDRESS NUMBER	TYPE OF # OF SQUARES TYPE OF SQUARES
STREET NAME	DEFECT TYPES	CITY RESPONSIBLE OWNER RESPONSIBLE
TYPE A SIDEWALK IS DISPLACED ONE INCH OR MORE VERTICALLY AT ANY POINT IN THE PANEL	TYPE B1 EITHER OF THE FOLLOWING: SIDEWALK IS RAISED MORE THAN THREE INCHES FROM THE NORMAL LINE OF GRADE HAS DRAINAGE WAY FORMED INTO SURFACE 3" OR MORE	TYPE B2 ANY OF THE FOLLOWING: SIDEWALK IS DEPRESSED MORE THAN THREE INCHES FROM THE NORMAL LINE OF GRADE PONDS WATER COLLECTS DEBRIS 3" OR MORE
TYPE C1 ANY OF THE FOLLOWING: SIDEWALK IS CRACKED INTO FOUR OR MORE PIECES IS MISSING A PIECE EQUAL TO OR EXCEEDING SIXTEEN SOUARE INCHES IS MISSING A FULL DEPTH PIECE OF ANY SIZE	TYPE C2 SIDEWALK IS MISSING THREE PIECES OR LESS, WITH EACH PIECE BEING LESS THAN SIXTEEN SQUARE INCHES, BUT GREATER THAN FOUR SQUARE INCHES	TYPE D1 ANY OF THE FOLLOWING: SIDEWALK: IS SPALLED 75% OR MORE OVER SURFACE HAS A SPALLED AREA DEEPER THAN ONE INCH HAS LOOSE OR DETERIORATING DAMAGE OVER THE MAJORITY OF THE SURFACE DOES NOT DRAIN PROPERLY
TYPE D2 EITHER OF THE FOLLOWING: MINOR SURFACE DAMAGE: SIDEWALK IS SPALLED BETWEEN 50%-75% OVER SURFACE MAJORITY OF THE PANEL DEEMED STRUCTURALLY SOUND BY CITY ENGINEER, WITHOUT DRAINAGE ISSUES	TYPE E1 ANY OF THE FOLLOWING: SIDEWALK HAS SEPARATION EXCEEDING TWO INCHES AT ANY POINT IN THE PANEL HAS MORE THAN ONE SEPARATION HAS ELEVATION OR DRAINAGE ISSUES HAS SHIFTED MORE THAN TWO A GREATER THAN 2"	TYPE E2 SIDEWALK HAS ONE SEPARATION GREATER THAN ONE INCH AND LESS THAN TWO INCHES AT ANY POINT IN THE PANEL HAS NO OTHER APPARENT HAZARDS
WIDTH OF SIDEWALK:	Approx. Square	TYPE F THE CROSS SLOPE (WIDTH) OF THE SIDEWALK EXCEEDS MORE THAN ONE INCH PER FOOT.